Contents

Volume 102, Number 1, January 1986

1 Clonal variation in cell surface display of an H-2 protein lacking a cytplasmic tail. M. C. Zuniga and L. E. Hood

11 Studies on the mechanism of membrane fusion: site-specific mutagenesis of the hemagglutinin of influenza virus. M.-J. Gething, R. W. Doms, D. York, and J. White

24 Receptor-mediated endocytosis of epidermal growth factor by rat hepatocytes: receptor pathway. W. A. Dunn, T. P. Connolly, and A. L. Hubbard

37 Routing of internalized ricin and ricin conjugates to the Golgi complex. B. van Deurs, T. I. Tønnessen, O. W. Petersen, K. Sandvig, and S. Olsnes

48 Immunofluorescent localization of 100K coated vesicle proteins. M. S. Robinson and B. M. F. Pearse

55 Rapid redistribution of clathrin onto macrophage plasma membranes in response to Fc receptor-ligand interaction during frustrated phagocytosis. R. Takemura, P. E. Stenberg, D. F. Bainton, and Z. Werb

70 Regulation of cortical vesicle exocytosis in sea urchin eggs by inositol 1,4,5-trisphosphate and GTP-binding protein. P. R. Turner, L. A. Jaffe, and A. Fein

77 The membrane composition of coated pits, microvilli, endosomes, and lysosomes is distinctive in the rat kidney proximal tubule cell. J. S. Rodman, L. Seidman, and M. G. Farquhar

88 Rates of membrane-associated reactions: reduction of dimensionality revisited. M. A. McCloskey and M. Poo

97 Molecular architecture of the inner membrane of mitochondria from rat liver: a combined biochemical and stereological study. K. Schwerzmann, L. M. Cruz-Orive, R. Eggmann, A. Sänger, and E. R. Weibel

104 Heat shock response of the rat lens. W. W. de Jong, W. A. Hockman, J. W. M. Mulders, and H. Bloemendal

112 Spatial organization of chromosomes in the salivary gland nuclei of *Drosophila melanogaster*. M. Hochstrasser, D. Mathog, Y. Gruenbaum, H. Saumweber, and J. W. Sedat

124 Expression of muscle genes in heterokaryons depends on gene dosage. G. K. Pavlath and H. M. Blau

131 Examination of the macronuclear replication band in *Euplotes eurystomus* with monoclonal antibodies. R. L. Allen, S. J. Kennel, L. Cacheiro, A. L. Olins, and D. E. Olins

137 Intranuclear localization of snRNP antigens. U. Nyman, H. Hallman, G. Hadlaczky, I. Pettersson, G. Sharp, and N. R. Ringertz

145 Cyclosporine A, an in vitro calmodulin antagonist, induces nuclear lobulation in human T cell lymphocytes and monocytes. J .W. Simons, S. J. Noga, P. M. Colombani, W. E. Beschorner, D. S. Coffey, and A. D. Hess

151 Laminin increases both levels and activity of tyrosine hydroxylase in calf adrenal chromaffin cells. A. Acheson, D. Edgar, R. Timpl, and H. Thoenen

160 Cell adhesion and migration in the early vertebrate embryo: location and possible role of the putative fibronectin receptor complex. J.-L. Duband, S. Rocher, W.-T. Chen, K. M. Yamada, and J.-P. Thiery

179 Human fibronectin contains distinct adhesion- and motility-promoting domains for metastatic melanoma cells. J. B. McCarthy, S. T. Hagen, and L. T. Furcht

189 Alternatively spliced mRNAs code for different polypeptide chains of the chicken neural cell adhesion molecule (N-CAM). B. A. Murray, J. J. Hemperly, E. A. Prediger, G. M. Edelman, and B. A. Cunningham

194 Evidence for two physiologically distinct gap junctions expressed by the chick lens epithelial cell. T. M. Miller and D. A. Goodenough

200 The molecular organization of myosin in stress fibers of cultured cells. G. Langanger, M. Moeremans, G. Daneels. A. Sobieszek, M. De Brabander, and J. De Mey

210 Localization of filamin in smooth muscle. J. V. Small, D. O. Furst, and J. De Mey

221 Purification and characterization of two isoforms of *Acanthamoeba profilin*. D. A. Kaiser, M. Sato, R. F. Ebert, and T. D. Pollard

227 Immuno-identification of Ca^{2+}-induced conformational changes in human gelsolin and brevin. S. Hwo and J. Bryan

237 A re-evaluation of cytoplasmic gelsolin localization. C. P. Carron, S. Hwo, J. Dingus, D. M. Benson, I. Meza, and J. Bryan

246 A novel intermediate filament-associated protein, NAPA-73, that binds to different filament types at different stages of nervous system development. G. Ciment, A. Ressler, P. C. Letourneau, and J. A. Weston

252 Biochemical and immunological analyses of cytoskeletal domains of neurons. I. Peng, L. I. Binder, and M. M. Black

263 Reorganization of microtubules in endosperm cells and cell fragments of the higher plant *Haemanthus* in vivo. A. S. Bajer and J. Molé-Bajer

282 Cytochalasin B slows but does not prevent monomer addition at the barbed end of the actin filament. E. M. Bonder and M. S. Mooseker

289 On the mechanism of rapid plasma membrane and chloroplast envelope expansion in *Dunaliella salina* exposed to hypoosmotic shock. M. Maeda and G. A. Thompson, Jr.

298 Breakdown of self/nonself recognition in cannibalistic strains of the predatory slime mold, *Dictyostelium caveatum*. D. R. Waddell and K. T. I. Duffy

306 The pupal cuticle of *Drosophila*: differential ultrastructural immunolocalization of cuticle proteins. W. J. Wolfgang, D. Fristrom, and J. W. Fristrom

312 Phorbol ester receptors and protein kinase C in primary neuronal cultures: development and stimulation of endogenous phosphorylation. S. K. Burgess, N. Sahyoun, S. G. Blanchard, H. LeVine III, K.-J. Chang, and P. Cuatrecasas

320 Structural studies on a family of cAMP-binding proteins in the nervous system of *Aplysia*. C. M. Eppler, H. Bayley, S. M. Greenberg, and J. H. Schwartz

333 *Acknowledgment*

Volume 102, Number 2, February 1986

343 Expression of smooth muscle-specific α-isoactin in cultured vascular smooth muscle cells: relationship between growth and cytodifferentiation. G. K. Owens, A. Loeb, D. Gordon, and M. M. Thompson

353 New poly(A)$^+$ RNAs appear coordinately during the differentiation of *Naegleria gruberi* amebae into flagellates. J. Mar, J. H. Lee, D. Shea, and C. J. Walsh

362 Growth control in cultured 3T3 fibroblasts. V. Purification of an *M*, 13,000 polypeptide responsible for growth inhibitory activity. Y.-M. Hsu and J. L. Wang

370 Regulation of major acute phase plasma proteins by hepatocyte-stimulating factors of human squamous carcinoma cells. H. Baumann, R. E. Hill, D. N. Sauder, and G. P. Jahreis

384 Emergence of three myelin proteins in oligodendrocytes cultured without neurons. M. Dubois-Dalcq, T. Behar, L. Hudson, and R. A. Lazzarini

393 Expression of specific sheath cell proteins during peripheral nerve growth and regeneration in mammals. H. W. Müller, M. J. Ignatius, D. H. Hangen, and E. M. Shooter

403 A heparin-binding domain from N-CAM is involved in neural cell-substratum adhesion. G. J. Cole and L. Glaser

413 Nerve growth factor enhances expression of neuron-glia cell adhesion molecule in PC12 cells. D. R. Friedlander, M. Grumet, and G. M. Edelman

420 Expression of several adhesive macromolecules (N-CAM, L1, J1, NILE, uvomorulin, laminin, fibronectin, and a heparan sulfate proteoglycan) in embryonic, adult, and denervated adult skeletal muscles. J. R. Sanes, M. Schachner, and J. Covault

432 Evidence for a novel enzymatic mechanism of neural crest cell migration on extracellular glycoconjugate matrices. R. B. Runyan, G. D. Maxwell, and B. D. Shur

449 The fibronectin receptor on mammalian erythroid precursor cells: characterization and developmental regulation. V. P. Patel and H. F. Lodish

457 A functional assay for proteins involved in establishing an epithelial occluding barrier: identification of a uvomorulin-like polypeptide. B. Gumbiner and K. Simons

469 Variants of BALB/c 3T3 cells lacking complex gangliosides retain a fibronectin matrix and spread normally on fibronectin-coated substrates. S. L. Griffiths, R. M. Perkins, C. H. Streuli, and D. R. Critchley

477 Endogenous lectins from cultured cells: subcellular localization of carbohydrate-binding protein 35 in 3T3 fibroblasts. I. K. Moutsatsos, J. M. Davis, and J. L. Wang

484 Endothelial cell membranes contain podocalyxin—the major sialoprotein of visceral glomerular epithelial cells. R. Horvat, A. Hovorka, G. Dekan, and D. Kerjaschki

492 Secretion of a cytoplasmic lectin from *Xenopus laevis* skin. N. C. Bols, M. M. Roberson, P. L. Haywood-Reid, R. F. Cerra, and S. H. Barondes

500 Localization of the epidermal growth factor (EGF) receptor within the endosome of EGF-stimulated epidermoid carcinoma (A431) cells. K. Miller, J. Beardmore, H. Kanety, J. Schlessinger, and C. R. Hopkins

510 Exocytotic exposure and recycling of membrane antigens of chromaffin granules: ultrastructural evaluation after immunolabeling. A. Patzak and H. Winkler

516 Study of the transit of integral membrane protein from secretory granules through the plasma membrane of secreting rat basophilic leukemia cells using a specific monoclonal antibody. J. S Bonifacino, P. Perez, R. D. Klausner, and I. V. Sandoval

523 The amino terminus of the yeast F_1-ATPase β-subunit precursor functions as a mitochondrial import signal. S. D. Emr, A. Vassarotti, J. Garrett, B L. Geller, M. Takeda, and M. G. Douglas

534 Clustering, mobility, and triggering activity of small oligomers of immunoglobulin E on rat basophilic leukemia cells. A. K. Menon, D. Holowka, W. W. Webb, and B. Baird

541 Cross-linking of receptor-bound IgE to aggregateslarger than dimers leads to rapid immobilization. A. K. Menon, D. Holowka, W. W. Webb, and B. Baird

551 Effect of membrane splitting on transmembrane polypeptides. K. A. Fisher and K. C. Yanagimoto

560 Organization of cytokeratin bundles by desmosomes in rat mammary cells. M. Bologna, R. Allen, and R. Dulbecco

568 Major loss of junctional coupling during mitosis in early mouse embryos. H. Goodall and B. Maro

576 Preferential association of glycoproteins to the euchromatin regions of cross-fractured nuclei is revealed by fracture-label. F. W. K. Kan and P. Pinto da Silva

587 A unique heparan sulfate in the nuclei of hepatocytes: structural changes with the growth state of the cells. N. S. Fedarko and H. E. Conrad

600 Nonhistone protein BA is a glutathione S-transferase localized to interchromatinic regions of the cell nucleus. C. F. Bennett, D. L. Spector, and L. C. Yeoman

610 Resting myosin cross-bridge configuration in frog muscle thick filaments. M. Cantino and J. Squire

619 End-to-end annealing of microtubules in vitro. S. W. Rothwell, W. A. Grasser, and D. B. Murphy

628 Immunofluorescence examination of beta tubulin expression and marginal band formation in developing chicken erythroblasts. D. B. Murphy, W. A. Grasser, and K. T. Wallis

636 Secretory cell actin-binding proteins: identification of a gelsolin-like protein in chromaffin cells. M.-F. Bader, J.-M. Trifaró, O. K. Langley, D. Thiersé, and D. Aunis

647 Multiple fates of newly synthesized neurofilament proteins: evidence for a stationary neurofilament network distributed nonuniformly along axons of retinal ganglion cell neurons. R. A. Nixon and K. B. Logvinenko

660 The protein-tyrosine kinase subtsrate, p81, is homologous to a chicken microvillar core protein. K. L. Gould, J. A. Cooper, A. Bretscher, and T. Hunter

---

Volume 102, Number 3, March 1986

679 Modulation of sulfated proteoglycan synthesis by bovine aortic endothelial cells during migration. M. G. Kinsella and T. N. Wight

688 Disialogangliosides GD2 and GD3 are involved in the attachment of human melanoma and neuroblastoma cells to extracellular matrix proteins. D. A. Cheresh, M. D. Pierschbacher, M. A. Herzig, and K. Mujoo

697 Commitment to expression of the metalloendopeptidases, collagenase and stromelysin: relationship of inducing events to changes in cytoskeletal architecture. Z. Werb, R. M. Hembry, G. Murphy, and J. Aggeler

703 Molecular assembly, secretion, and matrix deposition of type VI collagen. E. Engvall, H. Hessle, and G. Klier

711 Localization of the human NCAM gene to band q23 of chromosome 11: the third gene coding for a cell interaction molecule mapped to the distal portion of the long arm of chromosome 11. C. Hguyen, M.-G. Mattei, J.-F. Mattei, M.-J. Santoni, C. Goridis, and B. R. Jordan

716 Distribution of N-CAM in synaptic and extrasynaptic portions of developing and adult skeletal muscle. J. Covault and J. R. Sanes

731 Molecular forms of N-CAM and its RNA in developing and denervated skeletal muscle. J. Covault, J. P. Merlie, C. Goridis, and J. R. Sanes

740 Fibroblasts promote the formation of a continuous basal lamina during myogenesis in vitro. R. D. Sanderson, J. M. Fitch, T. F. Linsenmayer, and R. Mayne

748 Evidence for a polarity in the distribution of proteins from the cytoskeleton in *Torpedo marmorata* electrocytes. E. Kordeli, J. Cartaud, H.-O. Nghiêm, L.-A. Pradel, C. Dubreuil, D. Paulin, and J.-P. Changeux.

762 Globular and asymmetric acetylcholinesterase in frog muscle basal lamina sheaths. M. Nicolet, M. Pincon-Raymond, and F. Rieger

769 Localization of *Aplysia* neurosecretory peptides to multiple populations of dense core vesicles. T. Kreiner, W. Sossin, and R. H. Scheller

783 Aggregating factor from *Torpedo* electric organ induces patches containing acetylcholine receptors, acetylcholinesterase, and butyrylcholinesterase on cultured myotubes. B. G. Wallace

795 Selective effects of ascorbic acid on acetylcholine receptor number and distribution. D. Knaack, I. Shen, M. M. Salpeter, and T. R. Podleski

803 Brain peptides and glial growth. I. Glia-promoting factors as regulators of gliogenesis in the developing and injured central nervous system. D. Giulian, R. L. Allen, T. J. Baker, and Y. Tomozawa

812 Brain peptides and glial growth. II. Identification of cells that secrete glia-promoting factors. D. Giulian and D. G. Young

821 The role of cAMP in nerve growth factor-promoted neurite outgrowth in PC12 cells. C. Richter-Landsberg and B. Jastorff

830 PC12 cell mutants that possess low- but not high-affinity nerve growth factor receptors neither respond to nor internalize nerve growth factor. S. H. Green, R. E. Rydel, J. L. Connolly, and L. A. Greene

844 Molecular specialization of astrocyte processes at nodes of Ranvier in rat optic nerve. C. ffrench-Constant, R. H. Miller, J. Kruse, M. Schachner, and M. C. Raff

853 Chemical factors that influence nucleocytoplasmic transport: a fluorescent photobleaching study. L.-W. Jiang and M. Schindler

859 Nuclear actin and myosin as control elements in nucleocytoplasmic transport. M. Schindler and L.-W. Jiang

863 Nerve-induced remodeling of muscle basal lamina during synaptogenesis. M. J. Anderson

878 Receptor-bound somatostatin and epidermal growth factor are processed differently in GH_4C rat pituitary cells. D. H. Presky and A. Schonbrunn

889 Mutants of the membrane-binding region of Semliki Forest virus E2 protein. I. Cell surface transport and fusogenic activity. D. F. Cutler and H. Garoff

902 Mutants of the membrane-binding region of Semliki Forest virus E2 protein. II. Topology and membrane binding. D. F. Cutler, P. Melancon, and H. Garoff

911 Functional expression of the polymeric immunoglobulin receptor from cloned cDNA in fibroblasts. D. L. Deitcher, M. R. Neutra, and K. E. Mostov

920 Human IgA as a heterovalent ligand: switching from the asialoglycoprotein receptor to secretory component during transport across the rat hepatocyte. J. M. Schiff, M. M. Fisher, A. L. Jones, and B. J. Underdown

932 Receptor-mediated endocytosis of asialoglycoproteins by rat hepatocytes: receptor-positive and receptor-negative endosomes. S. C. Mueller and A. L. Hubbard

943 Lysosomal enzyme trafficking in mannose 6-phosphate receptor-positive mouse L-cells: demonstration of a steady state accumulation of phosphorylated acid hydrolases. C. A. Gabel and S. A. Foster

951 Exposure of K562 cells to anti-receptor monoclonal antibody OKT9 results in rapid redistribution and enhanced degradation of the transferrin receptor. A. M. Weissman, R. D. Klausner, K. Rao, and J. B. Harford

959 The effects of basic substances and acidic ionophores on the digestion of exogenous and endogenous proteins in mouse peritoneal macrophages. S. Ohkuma, J. Chudzik, and B. Poole

967 pH-regulated anion antiport in nucleated mammalian cells. S. Olsnes, T. I. Tønnessen, and K. Sandvig

972 Functional and mutational analysis of the light-harvesting chlorophyll *a/b* protein of thylakoid membranes. B. D. Kohorn, E. Harel, P. R. Chitnis, J. P. Thornber, and E. M. Tobin

982 Assembly of the precursor and processed light-harvesting chlorophyll *a/b* protein of *Lemna* into the light-harvesting complex II of barley etiochloroplasts. P. R. Chitnis, E. Harel, B. D. Kohorn, E. M. Tobin, and J. P. Thornber

989 Intracellular pathway followed by the insulin receptor covalently coupled to ^{125}I-photoreactive insulin during internalization and recycling. J.-L. Carpentier, H. Gazzano, E. Van Obberghen, M. Fehlmann, P. Freychet, and L. Orci

997 Ultrastructure of the intact skeleton of the human erythrocyte membrane. B. W. Shen, R. Josephs, and T. L. Steck

1007 Direct observation of steady-state microtubule dynamics. D. Kristofferson, T. Mitchison, and M. Kirschner

1020 Microtubule dynamics in interphase cells. E. Schultze and M. Kirschner

1032 Analysis of the treadmilling model during metaphase of mitosis using fluorescence redistribution after photobleaching. P. Wadsworth and E. D. Salmon

1039 Transformation of sperm nuclei to metaphase chromosomes in the cytoplasm of maturing oocytes of the mouse. H. J. Clarke and Y. Masui

1047 Regulation of reactivated elongation in lysed cell models of teleost retinal cones by cAMP and calcium. C. A. Gilson, N. Ackland, and B. Burnside

1060 Identification of a 34-kD polypeptide as a light chain of microtubule-associated protein-1 (MAP-1) and its association with a MAP-1 peptide that binds to microtubules. S. A. Kuznetsov, V. I. Rodionov, E. S. Nadezhdina, D. B. Murphy, and V. I. Gelfand

1067 On the surface lattice of microtubules: helix starts, protofilament number, seam, and handedness. E.-M. Mandelkow, R. Schultheiss, R. Rapp, M. Müller, and E. Mandelkow

1074 Probing the mechanism of incorporation of fluorescently labeled actin into stress fibers. P. A. Amato and D. L. Taylor

1085 A re-examination of the interaction of vinculin with actin. J. A. Wilkins and S. Lin

1093 Bridgelike interconnections between thick filaments in stretched skeletal muscle fibers observed by the freeze-fracture method. S. Suzuki and G. H. Pollack

1099 Monoclonal antibodyes distinguish titins from heart and skeletal muscle. C. Hill and K. Weber

1109 Further analysis of pemphigus autoantibodies and their use in studies on the heterogeneity, structure, and function of desmosomes. J. C. R. Jones, K. M. Yokoo, and R. D. Goldman

1118 Distribution of tyrosinolated and nontyrosinolated α-tubulin during mitosis. G. G. Gundersen and J. C. Bulinski

1127 PLACEMENT SERVICE NOTICES

Volume 102, Number 4, April 1986

1151 Collagen gene expression during limb cartilage differentiation. R. A. Kosher, W. M. Kulyk, and S. W. Gay

1157 Assembly of protein 4.1 during chicken erythroid differentiation. M. Staufenbiel and E. Lazarides

1164 Isolated osteoclasts resorb the organic and inorganic components of bone. H. C. Blair, A. J. Kahn, E. C. Crouch, J. J. Jeffrey, and S. L. Teitelbaum

1173 Identification of *Rhizobium* plasmid sequences in involved in recognition of *Psophocarpus*, *Vigna*, and other legumes. W. J. Broughton, C. H. Wong, A. Lewin, U. Samrey, H. Myint, H. Meyer Z. A., D. N. Dowling and R. Simon

1183 Molecular mobility and nucleocytoplasmic flux in hepatoma cells. I. Lang, M. Scholz, and R. Peters

1191 Ultrastructural localization of the progesterone receptor by an immunogold method: effect of hormone administration. M. Perrot-Applanat, M.-T. Groyer-Picard, F. Logeat, and E. Milgrom

1200 Increased voltage-gated potassium conductance during Interleukin 2-stimulated proliferation of amouse helper T lymphocyte clone. S. C. Lee, D. E. Sabath, C. Deutsch, and M. B. Prystowsky

1209 Electrophysiological properties of *Achlya* hyphae: ionic currents studied by intracellular potential recording. D. L. Kropf

1217 Type β transforming growth factor in human platelets: release during platelet degranulation and action on vascular smooth muscle cells. R. K. Assoian and M. B. Sporn

1224 An agent or agents produced by virus-transformed cells cause unregulated ruffling in untransformed cells. S. E. Myrdal and N. Auersperg

1230 Cell-mediated co-action of transforming growth factors: incubation of type β with normal rat kidney cells produces a soluble activity that prolongs the ruffling response to type α. S. E. Myrdal, D. R. Twardzik, and N. Auersperg

1235 Increase in urokinase plasminogen activator mRNA synthesis in human carcinoma cells is a primary effect of the potent tumor promoter, phorbol myristate acetate. M. P. Stoppelli, P. Verde, G. Grimaldi, E. K. Locatelli, and F. Blasi

1242 Sorting and endocytosis of viral glycoproteins in transfected polarized epithelial cells. T. A. Gottlieb, A. Gonzalez, L. Rizzolo, M. J. Rindler, M. Adesnik, and D. D. Sabatini

1256 Lateral mobility of the (Na^+,K^+)-dependent ATPase in Madin-Darby canine kidney cells. A. J. Jesaitis and J. Yguerabide

1264 Lysosomal enzymes in *Dictyostelium discoideum* are transported to lysosomes at distinctly different rates. J. A. Cardelli, G. S. Golumbeski, and R. L. Dimond

1271 Heterologous transmembrane and cytoplasmic domains direct functional chimeric influenza virus hemagglutinins into the endocytic pathway. M. G. Roth, C. Doyle, J. Sambrook, and M.-J. Gething

1284 Posttranslational processing of concanavalin A precursors in jackbean cotyledons. D. J. Bowles, S. E. Marcus, D. J. C. Pappin, J. B. C. Findlay, E. Eliopoulos, P. R. Maycox, and J. Burgess

1298 Liver endothelium mediates the hepatocyte's uptake of ceruloplasmin. M. Tavassoli, T. Kishimoto, and M. Kataoka

1304 Specific binding sites for albumin restricted to plasmalemmal vesicles of continuous capillary endothelium: receptor-mediated transcytosis. L. Ghitescu, A. Fixman, M. Simionescu, and N. Simionescu

1312 Evidence that pinocytosis in lymphoid cells has a low capacity. V. S. Goldmacher, N. L. Tinnel, and B. C. Nelson

1320 Initial glycosylation and acidic pH in the Golgi apparatus are required for multimerization of von Willebrand factor. D. D. Wagner, T. Mayadas, and V. J. Marder

1344 Identification and further characterization of the specific cell binding fragment from sponge aggregation factor. M. Gramzow, M. Bachmann, G. Uhlenbruck, A. Dorn, and W. E. B. Müller

1350 Monoclonal antibodies directed against protoplasts of soybean cells: analysis of the lateral mobility of plasma membrane-bound antibody MVS-1. T. N. Metcalf III, M. A. Villaneuva, M. Schindler, and J. L. Wang

1358 A long-lived fusogenic state is induced in erythrocyte ghosts by electric pulses. A. E. Sowers

1363 Autoradiographic visualization of the mouse egg's sperm receptor bound to sperm. J. D. Bleil and P. M. Wassarman

1372 Changes in sperm plasma membrane lipid diffusibility after hyperactivation during in vitro capacitation in the mouse. D. E. Wolf, S. S. Hagopian, and S. Ishijima

1378 Effects of protease inhibitors and substrates on motility of mammalian spermatozoa. E. de Lamirande and C. Gagnon

1384 Motility of cultured fish epidermal cells in the presence and absence of direct current electric fields. M. S. Cooper and M. Schliwa

1400 Effects of mechanical tension on protrusive activity and microfilament and intermediate filament organization in an epidermal epithelium moving in culture. J. Kolega

1412 Localization of low-sulfur keratin proteins in the wool follicle using monoclonal antibodies. P. W. French and D. R. Hewish

1419 Trichohyalin, an intermediate filament-associated protein of the hair follic.e J. A. Rothnagel and G. E. Rogers

1430 Reorganization of alpha-actinin and vinculin induced by a phorbol ester in living cells. J. B. Meigs and Y.-L. Wang

1439 Definition of an N-terminal actin-binding domain and a C-terminal Ca^{2+} regulatory domain in human brevin. J. Bryan and S. Hwo

1447 Actin at receptor-rich domains of isolated acetylcholine receptor clusters. R. J. Bloch

1459 Is a rise in intracellular concentration of free calcium necessary or sufficient for stimulated cytoskeletal-associated actin? R. I. Sha'afi, J. Shefcyk, R. Yassin, T. F. P. Molski, M. Volpi, P. H. Naccache, J. R. White, M. B. Feinstein, and E. L. Becker

1464 Role of stress fiber-like structures in assembling nascent myofibrils in myosheets recovering from exposure to ethyl methanesulfonate. P. B. Antin, S. Tokunaka, V. T Nachmias, and H. Holtzer

1480 Detection of a ventricular-specific myosin heavy chain in adult and developing chicken heart. Y. Zhang, S. A. Shafiq, and D. Bader

1485 Sequential expression of chicken actin genes during myogenesis. L. J. Hayward and R. J. Schwartz

1494 Organization of the cytoskeleton in early *Drosophila* embyos. T. L. Karr and B. M. Alberts

1510 The structure of cytoplasm in directly frozen cultured cells. II. Cytoplasmic domains associated with organells movements. P. C. Bridgman, B. Kachar, and T. S. Reese

1522 Taxol-dependent mutants of Chinese hamster ovary cells with alterations in α- and β-tubulin. M. J. Schibler and F. Cabral

---

Volume 102, Number 5, May 1986

1543 Secretory protein translocation in a yeast cell-free system can occur posttranslationally and requires ATP hydrolysis. M. G. Waters and G. Blobel

1551 Gene dosage–dependent secretion of yeast vacuolar carboxypeptidase Y. T. H. Stevens, J. H. Rothman, G. S. Payne, and R. Schekman

1558 Posttranslational association of immunoglobulin heavy chain binding protein with nascent heavy chains in nonsecreting and secreting hybridomas. D. G. Bole, L. M. Hendershot, and J. F. Kearney

1567 Unusual forms of low density lipoprotein receptors in hamster cell mutants with defects in the receptor structural gene. K. F. Kozarsky, H. A. Brush, and M. Krieger

1576 Three types of low density lipoprotein receptor–deficient mutant have pleiotropic defects in the synthesis of N-linked, O-linked, and lipid-linked carbohydrate chains. D. M. Kingsley, K. F. Kozarsky, M. Segal, and M. Krieger

1586 Fc-receptor-mediated phagocytosis occurs in macrophages without an increase in average $[Ca^{++}]_i$. P. L. McNeil, J. A. Swanson, S. D. Wright, S. C. Silverstein, and D. L. Taylor

1593 Lysosomal membrane dynamics: structure and interorganellar movement of a major lysosomal membrane glycoprotein. J. Lippincott-Schwartz and D. M. Fambrough

1606 Bacterial lipopolysaccharide suppresses the production of catalytically active lysosomal acid hydrolases in human macrophages. D. W. H. Riches and P. M. Henson

1615 Unusual lysosomes in aortic smooth muscle cells: presence in living and rapidly frozen cells. J. M. Robinson, T. Okada, J. J. Castellot, Jr., and M. J. Karnovsky

1623 In situ measurements of external pH and optical density oscillations in *Dictyostelium discoideum* aggregates. K. Gottmann and C. J. Weijer

1630 Liposome delivery of cyclic AMP–dependent protein kinase inhibitor into intact cells: specific blockade of cyclic AMP–mediated adrenocorticotropin release from mouse anterior pituitary tumor cells. T. Reisine, G. Rougon, and J. Barbet

1638 Regulation of cell pH by Ca^{+2}-mediated exocytotic insertion of H^+-ATPases. J. van Adelsberg and Q. Al-Awqati

1646 In situ hybridization at the electron microscope level: localization of transcripts on ultrathin sections of Lowicryl K4M–embedded tissue using biotinylated probes and protein A–gold complexes. M. Binder, S. Tourmente, J. Roth, M. Renaud, and W. J. Gehring

1654 The nonchromatin substructures of the nucleus: the ribonucleoprotein (RNP)-containing and RNP-depleted matrices analyzed by sequential fractionation and resinless section electron microscopy. E. G. Fey, G. Krochmalnic, and S. Penman

1666 Transcription of α-tubulin and histone H4 genes begins at the same point in the *Physarum* cell cycle. J. J. Carrino and T. G. Laffler

1671 Two calmodulins in *Naegleria* flagellates: characterization, intracellular segregation, and programmed regulation of mRNA abundance during differentiation. C. Fulton, K.-L. Cheng, and E. Y. Lai

1679 Aster-free spindle poles in insect spermatocytes: evidence for chromosome-induced spindle formation? W. Steffen, H. Fuge, R. Dietz, M. Bastmeyer, and G. Müller

1688 The distribution of cytoplasmic microtubules throughout the cell cycle of the centric diatom *Stephanopyxis turris*: their role in nuclear migration and positioning the mitotic spindle during cytokinesis. L. Wordeman, K. L. McDonald, and W. Z. Cande

1699 Subaxolemmal cytoskeleton in squid giant axon. I. Biochemical analysis of microtubules, microfilaments, and their associated high-molecular-weight proteins. T. Kobayashi, S. Tsukita, S. Tsukita, Y. Yamamoto, G. Matsumoto

1710 Subaxolemma cytoskeleton in squid giant axon. II. Morphological identification of microtubule- and microfilament-associated domains of axolemma. S. Tsukita, S. Tsukita, T. Kobayashi, and G. Matsumoto

1726 Immunolocalization of the gamma isoform of nonmuscle actin in cultured cells. C. A. Otey, M. H. Kalnoski, J. L. Lessard, and J. C. Bulinski

1738 Stress fibers in the splenic sinus endothelium in situ: molecular structure, relationship to the extracellular matrix, and contractility. D. Drenckhahn and J. Wagner

1748 Identification by monoclonal antibodies and characterization of human platelet caldesmon. J. Dingus, S. Hwo, and J. Bryan

1758 Myosin types and fiber types in cardiac muscle. III. Nodal conduction tissue. L. Gorza, S. Sartore, L. E. Thornell, and S. Schiaffino

1767 The role of keratin subfamilies and keratin pairs in the formation of human epidermal intermediate filaments. R. Eichner, T.-T. Sun, and U. Aebi

1778 Monoclonal antibodies that recognize a polypeptide antigenic determinant shared by multiple *Caenorhabditis elegans* sperm-specific proteins. S. Ward, T. M. Roberts, S. Strome, F. M. Pavalko, and E. Hogan

1787 Membrane and cytoplasmic proteins are transported in the same organelle complex during nematode spermatogenesis. T. M. Roberts, F. M. Pavalko, and S. Ward

1797 Redistribution and shedding of flagellar membrane glycoproteins visualized using an anti-carbohydrate monoclonal antibody and concanavalin A. R. A. Bloodgood, M. P. Woodward, and N. L. Salomonsky

1813 Purification and characterization of two plasma membrane domains from ejaculated bull spermatozoa. I. de Curtis, G. Fumagalli, and N. Borgese

1826 Lateral regionalization and diffusion of a maturation-dependent antigen in the ram sperm plasma membrane. D. E. Wolf, S. S. Hagopian, R. G. Lewis, J. K. Voglmayr, and G. Fairbanks

1832 Changes in membrane–microfilament interaction in intercellular adherens junctions upon removal of extracellular Ca^{2+} ions. T. Volberg, B. Geiger, J. Kartenbeck, and W. W. Franke

1843 Identification of actin-, α-actinin, and vinculin-containing plaques at the lateral membrane of epithelial cells. D. Drenckhahn and H. Franz

1853 Microtubules and actin filaments are not critically involved in the biogenesis of epithelial cell surface polarity. P. J. I. Salas, D. E. Misek, D. E. Vega-Salas, D. Gundersen, M. Cereijido, and E. Rodriguez-Boulan

1868 Effect of human serum and some of its components on neutrophil adherence and migration across an epithelium. E. B. Cramer, L. C. Milks, M. J. Brontoli, G. K. Ojakian, S. D. Wright, and H. J. Showell

1878 The organic matrix of the skeletal spicule of sea urchin embryos. S. C. Benson, N. C. Benson, and F. Wilt

1887 Disialoganglioside GD_2 distributes preferentially into substrate-associated microprocesses on human melanoma cells during their attachment to fibronectin. D. A. Cheresh and F. G. Klier

1898 Fibrillar organization of fibronectin is expressed coordinately with cell surface gangliosides in a variant murine fibroblast. S. Spiegel, K. M. Yamada, B. E. Hom, J. Moss, and P. H. Fishman

1907 The identification of extracellular matrix (ECM) binding sites on the basal surface of embryonic corneal epithelium and the effect of ECM binding on epithelial collagen production. S. P. Sugrue and E. D. Hay

1917 Site-restricted expression of cytotactin during development of the chicken embryo. K. L. Crossin, S. Hoffman, M. Grumet, J.-P. Thiery, and G. M. Edelman

1931 On the role of type IX collagen in the extracellular matrix of cartilage: type IX collagen is localized to intersections of collagen fibrils. W. Müller-Glauser, B. Humbel, M. Glatt, P. Sträuli, K. H. Winterhalter, and P. Bruckner

1940 Studies on the regulation of β-nerve growth factor gene expression in the rat iris: the level of mRNA-encoding nerve growth factor is increased in irises placed in explant cultures in vitro, but not in irises deprived of sensory or sympathetic innervation in vivo. D. L. Shelton and L. F. Reichardt

1949 Mitogenic response of human SH-SY5Y neuroblastoma cells to insulin-like growth factor I and II is dependent on the stage of differentiation. M. E. K. Mattsson, G. Enberg, A.-I. Ruusala, K. Hall, and S. Påhlman

1955 Regulation of the terminal event in cellular differentiation: biological mechanisms of the loss of proliferative potential. M. L. Wier and R. E. Scott

1965 Endothelial diaphragmed fenestrae: in vitro modulation by phorbol myristate acetate. T. Lombardi, R. Montesano, M. B. Furie, S. C. Silverstein, and L. Orci

1971 Participation of endothelial cells in the protein C–protein S anticoagulant pathway: the synthesis and release of protein S. D. Stern, J. Brett, K. Harris, and P. Nawroth

1979 Structural determinants of the capacity of heparin to inhibit the proliferation of vascular smooth muscle cells. II. Evidence for a pentasaccharide sequence that contains a 3-O-sulfate group. J. J. Castellot, Jr., J. Choay, J.-C. Lormeau, M. Petitou, E. Sache, and M. J. Karnovsky

1985 Placement Service Notices

Volume 102, Number 6, June 1986

1995 Metabolic inhibitors block anaphase A in vivo. P. K. Hepler and B. A. Palevitz

2006 Determination of the intracellular state of soluble macromolecules by gel filtration in vivo in the cytoplasm of amphibian oocytes. M.-C. Dabauvalle and W. W. Franke

2015 Probing the structure of cytoplasm. K. Luby-Phelps, D. L. Taylor, and F. Lanni

2023 Dynamics of microtubule depolymerization in monocytes. L. U. Cassimeris, P. Wadsworth, and E. D. Salmon

2033 Intermediate filaments in muscle and epithelial cells of nematodes. E. Bartnik, M. Osborn, and K. Weber

2042 The axonemal axis and Ca^{2+}-induced asymmetry of active microtubule sliding in sea urchin sperm tails. W. S. Sale

2053 Myofibrillogenesis in living cells microinjected with fluorescently labeled alpha-actinin. J. M. Sanger, B. Mittal, M. B. Pochapin, and J. W. Sanger

2067 Binding and assembly of actin filaments by plasma membranes from *Dictyostelium discoideum*. M. A. Schwartz and E. J. Luna

2076 A microtubule-associated protein in *Drosophila melanogaster*: identification, characterization, and isolation of coding sequences. L. S. B. Goldstein, R. A. Laymon, and J. R. McIntosh

2088 Brain spectrin(240/235) and brain spectrin(240/235E): two distinct spectrin subtypes with different locations within mammalian neural cells. B. M. Riederer, I. S. Zagon, and S. R. Goodman

2098 Brain-specific expression of MAP2 detected using a cloned cDNA probe. S. A. Lewis, A. Villasante, P. Sherline, and N. J. Cowan

2106 A cloned cDNA encoding MAP1 detects a single copy gene in mouse and a brain-abundant RNA whose level decreases during development. S. A. Lewis, P. Sherline, and N. J. Cowan

2115 A lymphoma plasma membrane–associated protein with ankyrin-like properties. L. Y. W. Bourguignon, G. Walker, S. J. Suchard, and K. Balazovich

2125 Effects of cytochalasin D on occluding junctions of intestinal absorptive cells: further evidence that the cytoskeleton may influence paracellular permeability and junctional charge selectivity. J. L. Madara, D. Barenberg, and S. Carlson

2137 Immunolocalization of the oligosaccharide trimming enzyme glucosidase II. J. M. Lucocq, D. Brada, and J. Roth

2147 Cytoplasmic domains of cellular and viral integral membrane proteins substitute for the cytoplasmic domain of the vesicular stomatitis virus glycoprotein in transport to the plasma membrane. L. Puddington, C. E. Machamer, and J. K. Rose

2158 Biogenesis of the crystalloid endoplasmic reticulum in UT-1 cells: evidence that newly formed endoplasmic reticulum emerges from the nuclear envelope. R. K. Pathak, K. L. Luskey, and R. G. W. Anderson

2169 Signal recognition particle–dependent membrane insertion of mouse invariant chain: a membrane-spanning protein with a cytoplasmically exposed amino terminus. J. Lipp and B. Dobberstein

2176 Membrane protein redistribution during *Xenopus* first cleavage. T. J. Byers and P. B. Armstrong

2185 Contact-induced redistribution of specific membrane components: local accumulation and development of adhesion. M. A. McCloskey and M-m. Poo

2197 Quantitative analysis of the cytosolic free calcium dependency of exocytosis from three subcellular compartments in intact human neutrophils. P. D. Lew, A. Monod, F. A. Waldvogel, B. Dewald, M. Baggiolini, and T. Pozzan

2205 Calcium uptake and release by isolated cortices and microsomes from the unfertilized egg of the sea urchin *Strongylocentrotus droebachiensis*. J. A. Oberdorf, J. F. Head, and B. Kaminer

2211 Early events elicited by bombesin and structurally related peptides in quiescent Swiss 3T3 cells. I. Activation of protein kinase C and inhibition of epidermal growth factor binding. I. Zachary, J. W. Sinnett-Smith, and E. Rozengurt

2223 Early events elicited by bombesin and structurally related peptides in quiescent Swiss 3T3 cells. II. Changes in Na^+ and Ca^{2+} fluxes, Na^+/K^+ pump activity, and intracellular pH. S. A. Mendoza, J. A. Schneider, A. Lopez-Rivas, J. W. Sinnett-Smith, and E. Rozengurt

2234 Changes in the expression of oncogenes encoding nuclear phosphoproteins but not c-Ha-Ras have a relationship to monocytic differentiation of HL 60 cells. Z. S. Brelvi and G. P. Studzinski

2244 Astrocytes produce interferon that enhances the expression of H-2 antigens on a subpopulation of brain cells. B. Tedeschi, J. N. Barrett, and R. W. Keane

2254 Schwann cell myelination: induction by exogenous basement membrane–like extracellular matrix. D. J. Carey, M. S. Todd, and C. M. Rafferty

2264 Suppression of terminal axonal sprouting at the neuromuscular junction by monoclonal antibodies against a muscle-derived antigen of 56,000 daltons. M. E. Gurney, B. R. Apatoff, and S. P. Heinrich

2273 Rapid adhesion of nerve cells to muscle fibers from adult rats is mediated by a sialic acid–binding receptor. R. Bischoff

2281 Growth cone localization of neural cell adhesion molecule on central nervous system neurons in vitro. A. N. van den Pol, U. di Porzio, and U. Rutishauser

2295 A chick neural retina adhesion and survival molecule is a retinol-binding protein. D. Schubert, M. LaCorbiere, and F. Esch

2302 Differential localization of mRNAs of collagen types I and II in chick fibroblasts, chondrocytes, and corneal cells by in situ hybridization using cDNA probes. M. Hayashi, Y. Ninomiya, J. Parsons, K. Hayashi, B. R. Olsen, and R. L. Trelstad

2310 Type X collagen synthesis during in vitro development of chick embryo tibial chondrocytes. P. Castagnola, G. Moro, F. Descalzi-Cancedda, and R. Cancedda

2318 Role of fibronectin in the migration of fibroblasts into plasma clots. P. Knox, S. Crooks, and C. S. Rimmer

2325 *Correction*

2327 *Acknowledgment*

2329 *Author Index for Volume 102*